

Purchase Order Receipt Listing

Tuesday, June 03, 2014 11:31:58 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO24362 Receipt Dates from 6/3/2014 to 6/3/2014 All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Date Required Qty	Recv Date/ Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name		VC-MET001	Metaux Castle								
PO24362	1		D6104-005P	Each	6/11/2014	6/3/2014	20.0000	\$58.84	0.0000	0	\$1,176.85
CAD	No		17-4 SS Roundbar 4.00"Od	Each	20.0000	DES102		\$1,176.85	0.0000	0	
			m129366/119637								
	2		M303R0.750	f	6/11/2014	6/3/2014	96.0000	\$3.69	0.0000	0	\$354.16
	No		303 Round Bar 0.750 f m129366/119637	f	96.0000	DES102		\$354.16	0.0000	0	
	3		M304B0.250x0.500 f	f	6/11/2014	6/3/2014	600.0000	\$2.29	0.0000	0	\$1,372.38
	No		304 BAR .250 x .500 f m129366/119637	f	600.0000	DES102		\$1,372.38	0.0000	0	
	4		71401-45		6/11/2014	6/3/2014	1.0000	\$0.00	0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES m129366/119637		1.0000	DES102		\$0.00	0.0000	0	

Total Received Quantity: 717.0000
Total Qty to Inspect (PO U/M): 0.0000
Total Reject Quantity: 0.0000
Total Receipt Value: \$2,903.40
Total Balance Due Quantity: 0.0000

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE**COPIE**

Page 1 of 2

Shipment No:2184050

Ship From: A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA							
Date Shipped 30-MAY-2014		F.O.B. ORIGIN		Freight Terms Prepaid		Carrier MANITOULIN		BOL No 2184050-2					
Shipment Details													
Final Destination Branch - MON													
Order No 3380000		Line No 1		Item No 42464.MO		Description 4.0000.RD.17CR-4NI.STAINLESS.RT.SOL TR.COND A.132.0000-156.0000 CUT TO 5.1 IN (+ .0620/- .0000 IN) - BAND SAW CUTTING SPECIFICATIONS: AMS 5643 ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@artaero.com							
Purchase Order No 24362		Part Number YOUR ITEM NUMBER: D6104-005		Ordered Qty 20.00 PCS		Invoice Qty 20.00 PCS							
Details		AMS 5643 ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S Email P/s and certs to: clavoie@artaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS											
Delivery No.		Mill		Heat Number		Mech Id		Width (IN)		Length (IN)		Shipped Qty(LBS)	



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE


Page 1 of 2

Shipment No:2186027

Ship From:	Sold To:	Ship To:	Deliver To:
A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE PONTE CLAIRE, QUEBEC H9R 3S2	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped	F.O.B.	Freight Terms	Carrier
02-JUN-2014	ORIGIN	Prepaid	MANITOULIN
			BOL No 2186027-2

Shipment Details

Final Destination Branch - MON

Order No	Line No	Item No	Description				
3380000	3	4969	0.2500.0.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-1560000 SPECIFICATIONS: ASTM A276 ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S FORWARD COPY OF P/S TO TRACY (MONTREAL) Email P/s and certs to: clavoie@dartaero.com				
Purchase Order No	Part Number	Ordered Qty	Invoice Qty				
24362		600.00 FT	612.0000 FT				
Details	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S FORWARD COPY OF P/S TO TRACY (MONTREAL) Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS						
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
119655698	VALBRUNA CORPORATION	 4 2 6 1 0 2 1		48	1.0000	153.0000	260.1000



Castle Metals®

A. M. Castle & Co.

**PACKING SLIP/
CERTIFICATE OF CONFORMANCE**

Page 2 of 2

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date: Name:

Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Bezieher/Purchaser/Cilent
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Item/Usine productrice

Avviso di Spedizione: D-VI13005926
Lieferanzettel/Packing list/B.L.

Ordine nr: 34311 STOCK CAROL STR
Bestell./Your order/Commande

Tipo di Elaborazione: E+AOD
Erschmelzungsart/Melting process/Mode d'elaboration

Certificato nr: MEST311022/2013/
Prüfung/Test/Essai

Conferma ordine nr: EI12008449
Werkz/Our Order/Ref nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine productrice

Punzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Pointon de l'essayeur

Stato di fornitura: Descaled Annealed Hot rolled
Lieferzustand/Delivery state/Etat de livraison

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind i. t. Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été trouvé conforme aux exigences

Controllo antimescolanza: OK
Verwechslungsprüfung: spezialmischungslos durchgeführt
Antimixing testing performed: OK
Contrôle entremelange fait: r.a.s.

Controllo visivo e dimensionale: soddisfa le esigenze
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional checks: satisfactory
Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination
We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.
The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s., 4.3 by TUEV and LLOYD'S
Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.
The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Castle Metals SP
HEAT NUMBER 426102
MECHANICAL ID
ITEM CODE 4969
LOT NUMBER
PO NUMBER 251198
RECEIPT DATE 11-11-13
SUPPLIER VALBRUNA
SPECIFICATION
LCS 710
COMMENT
APPROVED A

Vicenza, 22/02/13
VCC008
(Mod. MCE2)

Il collaudatore di stabilimento / der Werksachverständiger / Works Inspector / L'agent d'usine
M. Rizzotto

Pagina - 2 di 2

Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Clients / Reseller/Purchaser/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Item/Usine productioe

Avviso di Spedizione: D-VI13005926
Lieferanzettel/Packing list/B.L.

Ordine nr: 34311 STOCK CAROL STR
Beetel/Your order/Commande

Certificato nr: MEST311022/2013/
Prüfung/Test/Essai

Conferma ordine nr: EI12008449
Weiter/Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine productrice



Punzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Poinçon de l'assesseur



Stato di fornitura: Descaled Annealed Hot rolled
Lieferzustand/Delivery state/Etat de livraison

Tipo di Elaborazione: E+AOD
Erschmelzungsart/Melting process/Mode de fabrication

Specifiche:
Anforderungen / Requirements / Exigences

VSI 0 304/304L A
AMS 5647 J S30403 A
ASME SA193 2010 B8 CLASS1 (1)
ASME SA479 2010 S30400/03 A (4)
ASTM A262 2010 PRACTICE E
ASTM A320 2011A B8 CLASS1
ASTM A479 2012 S30400/03 A
NACE MR0175 2009 S30400/03 A (7)

AISI 304/304L
AMS-QQ-S-763 B 304/304L A
ASME SA276 2010 S30400/03 A (2)
ASTM A182 2011A S30400/03 A (5)
ASTM A276 2010 S30400/03 A
ASTM A370 2012A
MIL-S-882 B/1 304/304L
QQ-S-763 F 304/304L A

AMS 5639 H S30400 A
ASME SA182 2010 S30400/03 A (0)
ASME SA320 2010 B8 CLASS1 (3)
ASTM A193 2011A B8 CLASS1
ASTM A314 2008 S30400/03
ASTM A473 2001 S30400/03 (6)
NACE MR0103 2010 S30400/03 A

- (0) SEC.II PT.A 2010 EDITION ADD. 2011a
(1) SEC.II PT.A 2010 EDITION ADD. 2011a
(2) SEC.II PT.A 2010 EDITION ADD. 2011a
(3) SEC.II PT.A 2010 EDITION ADD. 2011a
(4) For products machined directly from bar refer to ASTM A479.
(7) ANSI/NACE MR0175/ISO 15156-3, second edition 2009-10-15

- (0) For products machined directly from bar refer to ASME SA479.
(2) SEC.II PT.A 2010 EDITION ADD. 2011a
(4) SEC.II PT.A 2010 EDITION ADD. 2011a
(6) Chemical analysis only.
(7) Technical circular 1:2011 Published 2011-08-14

Qualità: 304/304L
Werkstoff/Grade/Qualité

Marca: AISL
Markenbezeichnung
Brand/Qualité

Tolleranza: ASTM A484-11
Toleranz/Allowance/Tolérance

Punzonatura: 304/304L
Kennzeichnung/Marking/Marquage

Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Gegenstand Product description Descrip. du produit	Dimensioni - In Abmessungen Dimension Dimension	Lunghezza - In Länge Length Longueur	Colata Schmelze Tend Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0020	Flat	0,5000 x 0,2500	153 / 155	426102		2.445	213904270

TEST ALLO STATO DI FORNITURA

Test on delivery condition Prüfung auf lieferbareitem produkt test a l'etat de fourniture Prueba sobre el material así como entregado

TEST	Provetta/Probestab Specimen/Eprobestab Longitudinal Spec. Befalls Diam. Distanz Width Diam. Thickness Larg. diam. épaisseur mm	°F	Post. Saggio Probenlage Orientation Expérimentation 1)	Snervamento Streckgrenze Yield Stress Limite élastique Rp 0,2% k.s.l.	Snervamento Streckgrenze Yield Stress Limite élastique	Resistenza Zugfestigkeit Tensile strength Résistance à traction Rm k.s.l.	Allungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Einziehstrich Reduction of area Striction RA %	Resilienza Kerbschlagenergie Impact Value Resilience	Durezza Härte Hardness Dureté HB
Valori richiesti 1 Anforderungen/Required values Valeurs demandées	min max			30	-	75 115	40	50	-	140 235
A	12X6,3	68	L	39		84	57	68		171

TEST	min	max
A Grain size for ASTM E112		5

1) L-Longitudinale/Länge, T-Transversale/quer, Q-Tengenziale/tangentiel

Mechanical properties according to ASTM A370.

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata Heat Schmelze/Coulée	min - max 0,030	1,00	2,00	18,00 20,00	1,00	1,00	8,00 10,50	0,040	0,020 0,030	0,100	-	-	-	-
426102	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	N %			
	0,027	0,53	1,72	18,15	0,72	0,61	8,28	0,092	0,027	0,028	0,071			

Produced without class I-II Ozone depleting substances.
Solution heat treated free from continuous carbide network.
Annealing temperature: 1940°F for 0.5 h/water.
Micro and macro etch test: OK
Intergranular corrosion test per ASTM A262 pract. E: ok.
Material is DFARS Compliant

Vicenza, 22/02/13 VCC008 (Mod. MCE2)	Il collaudatore di stabilimento / der Werksachverständige / Works Inspector / L'agent d'usine M. Rizzotto	Pagina - 1 di 2
--	--	-----------------



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE


Page 1 of 2

Shipment No:2186027

Ship From:		Sold To:		Ship To:		Deliver To:	
A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped	F.O.B.	Freight Terms		Carrier		BOL No	
02-JUN-2014	ORIGIN	Prepaid		MANITOULIN		2186027-2	

Shipment Details

Final Destination Branch - MON

Order No	Line No	Item No	Description				
3380000	2	4632	0.7500.RD.303;STAINLESS.CF.ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A582 ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S FORWARD COPY OF P/S TO TRACY (MONTREAL) Email P/s and certs to: clavoie@dataero.com				
Purchase Order No	Part Number	Ordered Qty	Invoice Qty				
24362		96.00 FT	96.6667 FT				
Details	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S FORWARD COPY OF P/S TO TRACY (MONTREAL) Email P/s and certs to: clavoie@dataero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS						
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
119655307	NORTH AMERICAN STAINLESS			8		145.0000	150.0000



Castle Metals®

A. M. Castle & Co.

**PACKING SLIP/
CERTIFICATE OF CONFORMANCE**

Page 2 of 2

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date: Name:

**NORTH AMERICAN
STAINLESS**

METALLURGICAL TEST REPORT

6870 Highway 42 East
Ghent, KY 41045-9615
(502) 347-6000

Certificate: 941614 17 Mail To:

Mail To:

A. H. CASTLE AND COMPANY

1420 KENSINGTON ROAD-SUITE 220

OAK BROOK IL 60523

Ship To:

A.M. CASTLE AND COMPANY

3400 MOUNT WOLF ROAD

FRANKLIN PARK IL 60131

Customer:	0032	001	1
NAS Order:	LP	16311	1
Your Order:	264710		

Item Code: 4632

PRODUCT DESCRIPTION:

REMARKS:

Round Bar, Annealed, Cold Draw
ASTM A582/12 EN 10206 3.1, ASTM A484/11
AMS 5640U TYPE 1, Q08-764B CONDITION A
SOLUTION ANNEAL TEMP 1900F MIN

COMPLIES W/REQUIREMENTS OF DEEN 253.225-7009 EU DIRECTIVE
2011/65/EU. ROHS, EAF+AOB+CC. NO WELD REPAIR. MELTED AND MEG
IN USA. FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION.

and 14/06/09

Date: 4/23/2014 Page: 1 Of 1
Steel: 303
Finish: Cold Draw
Dia/Thk: .7500 in
Leg Length: 144.00 in
Corrosion:

	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight	Bundle Weight
BGR4793	2346							

CHEMICAL ANALYSIS

CHN(Country of Meq) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

Chemical Analysis per ASTM A751/08

[illegible]

BT 6
-39

Castle Metals Inc

MECHANICAL PROPERTIES

1	4	HB	No.	.218	UTS	RA	ELng
0	1			KST	KST	%	% AD
BG24793	R L		193.0	75.92	106.36	23.48	19.79

RECEIPT DATE	PO NUMBER
4-25-74	244710

LOT NUMBER _____
PO NUMBER 2604710
RECEIPT DATE 11-25-74
SUPPLIER NAS
SPECIFICATION _____
LCS D
COMMENT _____
APPROVED h

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS

Technical
Dept. Mgr.

ERIC HESS

ERIC HESS



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO24362

Purchase Order Date 5/27/2014

PO Print Date 5/28/2014

Page Number 1 of 2

Order From : VC-MET001
METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W OE9
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 514 694 9575

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer
Customer POID
Customer Tax # 10127-2607
Terms Net 10
Currency CAD
FOB FCA - (Free Carrier)

REVISED \$

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	D6104-005P AS PER DWG D6104 REV. B B119637 MATERIAL: 17-4 PH AS PER AMS 4643 OR AISI 630 SIZE: 4.00" X 5.10" LONG	17-4 SS Roundbar 4.00"Od	6/11/2014 Yes 6/11/2014		20.00 ✓ Each	\$63.80	\$1,276.00
						Line Total:	\$1,276.00
2	M303R0.750 MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE	303 Round Bar 0.750	6/11/2014 Yes 6/11/2014		96.00 ✓ f	\$4.00	\$384.00
						Line Total:	\$384.00

SP14-6-3

SP14-6-3

Note:

5/28/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO24362**

Purchase Order Date 5/27/2014

PO Print Date 5/28/2014

Page Number 2 of 2

Order From : VC-MET001
METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W OE9
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 514 694 9575

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 10
Currency CAD
FOB FCA - (Free Carrier)

3	M304B0.250x0.500	304 BAR .250 x .500	6/11/2014	600.00	✓	\$2.48	\$1,488.00
			Yes	f			
			6/11/2014				

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE
AS PER ASTM A276 OR ASTM A240
NOTE: AISI 303 NOT ACCEPTABLE

Line Total: \$1,488.00

4	71401-45	PROCUREMENT QUALITY CLAUSES	6/11/2014	1.00	✓	\$0.00	\$0.00
---	----------	--------------------------------	-----------	------	---	--------	--------

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality document

No
6/11/2014

Line Total: \$0.00

PO Total: \$3,148.00

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 2

Change Date: 5/28/2014